

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/531652	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S2	43	topic near10 (division divid\$3 separat\$3) near10 (portion piece part block) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S3	10	(sub adj topic) near10 (portion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S4	7	(topic) near10 (portion) near10 (sequential sequenc \$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S5	39	(divid\$3 division) same (sub adj topic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S6	10	link\$3 near5 (sub adj topic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S7	4	("5832472"   "6442274"   "6539387"   "6633316").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21

S8	11	("6633316" "6539387" "6442574" "6243071" "6154750" "5991751" "5832472" "5721910" "5708806" "20020198885" "20020032672").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S9	2	S8 and ((sub near topic\$3) subtopic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S10	3	topic near10 (divid\$3 division break\$3 broke\$2) near10 ((sub near topic\$3) subtopic) near10 (link\$3 relat\$3 relationship connect\$3) and {@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S11	3	(divid\$3 division break\$3 broke\$2) near10 ((sub near topic\$3) subtopic) near10 (link\$3 relat\$3 relationship connect\$3) and {@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S12	52	(divid\$3 division break\$3 broke\$2) same ((sub near topic\$3) subtopic) same (link \$3 relat\$3 relationship connect\$3) and {@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S13	13	(divid\$3 division break\$3 broke\$2) with ((sub near topic\$3) subtopic) with (link \$3 relat\$3 relationship connect\$3) and {@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S14	6617	(divid\$3 division break\$3 broke\$2) with ((sub near (topic\$3) article categor\$3) subtopic) with (link\$3 relat\$3 relationship connect\$3) and {@ad< "20011017" @pd< "20011017" @rlad< "20011017") not S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21

S15	12	((divid\$3 division break\$3 broke\$2) with ((sub near (topic\$3 article categor\$3)) subtopic) with (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S16	2	((hyper adj link\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S17	4	((hyperlink\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S18	52	((hierarch\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S19	9	((hypertext near link\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S20	9	((hypertext near link\$3) with ((sub adj (portion topic)) subtopic subportion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S21	12	((hypertext near link\$3) same ((sub adj (portion topic)) subtopic subportion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S22	36	((hyperlink\$3 (hyper near (text link\$3))) near10 ((explanat\$3 explain\$3) near (note text sentence definition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21

S23	17	{(hyperlink\$3 (hyper near (text link\$3))) near10 ((explanat\$3 explain\$3) near (note text sentence definition)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S24	16	{(hyperlink\$3 (hyper near link \$3)) near10 ((explanat\$3 explain\$3) near (note text sentence definition)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S25	16	hyperlink\$3 near10 explanatory near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S26	76	{(hyperlink\$3 (hyper adj link \$3)) with (explanat\$3 explain \$3 descriptive) with (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S27	185	{(hyperlink\$3 (hyper adj link \$3)) same (explanat\$3 explain\$3) same (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S28	37	{(hyperlink\$3 (hyper adj link \$3)) near10 (explanat\$3 explain\$3) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S29	31	{(hyperlink\$3 (hyper adj link \$3)) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21

S30	2	(explanatory adj (note text window)) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S31	5	(explanatory) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S32	55	(explanat\$3 explain\$3) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S33	691	(display\$3 show\$3) near10 (overview summary) near10 (description) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S34	124	(display\$3 show\$3) near10 (overview\$3 summar\$5) near10 topic and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S35	748	(record\$3) near5 sequence near5 access and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S36	8	(record\$3) near5 sequence near5 access near5 select\$3 and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S37	30	(record\$3) near5 sequence near5 access near5 user and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21

S38	4	(record\$3) near5 sequence near5 access near5 order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S39	21	(record\$3) with (sequence near5 access) with order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S40	622	(sequence near5 access) near10 order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S41	9	(record\$3) near5 sequence near5 access near5 (display \$3 show\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S42	106	(display\$3) near10 (access\$3 adj order) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S43	766	hyperlink\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S44	24	hyperlink\$3 near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S45	141	display\$3 near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21

S46	0	display\$3 near5 (title metadata (meta adj (data information))) near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S47	34	display\$3 near5 (information) near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S48	24	(record\$3 near5 hyperlink\$3) and (access\$3 near5 history) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S49	28	(sav\$3 near5 hyperlink\$3) and (access\$3 near5 history) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S50	2	("5991751" "5721910").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S51	1	link\$3 near5 (database (data adj base)) near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S52	1	(database (data adj base)) same link\$3 near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S53	3	(database (data adj base)) and link\$3 near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21

S54	37	{database (data adj base)) near10 (subportion (sub adj portion)) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S55	4	("5832472"   "6442274"   "6539387"   "6633316").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S56	143	{record\$3 sav\$3) near5 address near5 (link\$3 hyperlink\$3 (hyper adj link \$3)) same (database (data adj base)) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S57	0	S56 and (hyperlink\$3 link\$3 (hyper adj link\$3)) near5 navigat\$3 same (portion chapter subchapter subportion (sub adj (chapter portion)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S58	364	{(hyperlink\$3 link\$3 (hyper adj link\$3)) near5 navigat\$3 same (portion chapter subchapter subportion (sub adj (chapter portion))) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S59	952	{(record\$3 sav\$3) near5 address near5 (link\$3 hyperlink\$3 (hyper adj link \$3)) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S60	2	S58 and S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S61	17795	address near5 (link\$3 hyperlink\$3 (hyper adj link \$3)) and (@ad< "20011017" @pd< "20011017" @rlad< "20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21



S62	63	S58 and S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S63	62	{(hyperlink\$3 link\$3 (hyper adj link\$3)) near5 navigat\$3 same (portion chapter subchapter subportion (sub adj (chapter portion))) same (database (data adj base)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S64	3	{(hyperlink\$3 link\$3 (hyper adj link\$3)) same (portion chapter subchapter subportion (sub adj (chapter portion))) same (navigat\$3) near5 backward and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S65	79	{(hyperlink\$3 link\$3 (hyper adj link\$3)) same (navigat \$3) near5 backward and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S66	418559	{(hyperlink\$3 link\$3 (hyper adj link\$3)) same (portion chapter subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S67	48	S65 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S68	1993	{(hyperlink\$3 (hyper adj link \$3)) same (portion chapter subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21

S69	5	S65 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S70	93	( <a href="#">hyperlink\$3 link\$3</a> ((hyper page web) adj link\$3) anchor url) same (navigat\$3) near5 backward and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S71	5	S68 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S72	3013	( <a href="#">hyperlink\$3 (hyper adj link \$3)</a> ) same (database (data adj base)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S73	5	S70 and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S74	3	( <a href="#">hyperlink\$3 link\$3</a> ((hyper page web) adj link\$3) anchor url) same (navigat\$3) near5 backward same (chapter portion subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S75	51	( <a href="#">hyperlink\$3 link\$3</a> ((hyper page web) adj link\$3) anchor url) same (navigat\$3) near5 backward and ( <a href="#">hyperlink\$3 link\$3</a> ((hyper page web) adj link\$3) anchor url) same (chapter portion subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21

S76	3	jorge near2 diniz near2 queiroga near2 loureiro.inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S77	2	(jump\$3 navigat\$3 go\$3) near5 non adj sequential near5 (portion part) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 12:21
S78	37	non adj sequential\$ near5 (database (data adj base))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 14:47
S79	20	non adj sequential\$ near5 (database (data adj base)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 14:48
S80	902	707/758 707/758.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 15:24
S81	0	S80 and (display\$3 show\$3) near10 (overview summary) near10 (description) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 15:24
S82	4	S80 and (record\$3 sav\$3) near5 address near5 (link\$3 hyperlink\$3 (hyper adj link \$3)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 15:24
S83	4	S80 and (hyperlink\$3 (hyper adj link\$3)) same (portion chapter subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 15:24

S84	27	S80 and address near5 (link \$3 hyperlink\$3 (hyper adj link \$3)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/10/18 15:25
-----	----	---	--	----	----	---------------------

10/ 18/ 2010 3:25:33 PM

C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son\_10\_531\_652\_case.  
wsp